SKORPIO[™] X4

DATALOGIC



CHOICE OF WINDOWS EMBEDDED OR ANDROID™ OPERATING SYSTEMS

The Skorpio[™] X4 mobile computer features a high performance multicore 1 GHz architecture that offers blazing speed when running Windows Embedded Compact OS and allows easy upgradeability to the Android OS. Users will never run out of memory with the standard 1 GB RAM and 8 GB Flash.

OUTSTANDING USER INTERFACE

Equipped with the largest high-visibility 3.2 inch color display touch screen in its class, the Skorpio X4 mobile computer helps users work more efficiently.

Three different keyboards are available for maximum efficiency: a 50-key alphanumeric keypad, a 38-key functional keypad and a 28-key numeric keypad.

ERGONOMIC AND RELIABLE

This rugged mobile computer is particularly suitable for mobile commerce solutions in the retail environment both in-store and back-end receiving applications. With the best ergonomics on the market, the Skorpio X4 mobile computer reduces operator fatigue with no compromise in terms of reliability and robustness, resisting harsh environments, multiple drops, strong shocks and repetitive tumbles. The pistol-grip model has the most durable and comfortable handle in the industry.

WIRELESS COMMUNICATION

The Skorpio X4 mobile computer's wireless communication capabilities (802.11 a/b/g/n) enables speedy transmission of data, while *Bluetooth®* wireless technology v4 provides support for the new low energy mode (BLE). The new MIMO antennas provide extended coverage.





FEATURES

- Large high visibility color display with touch screen
- Choice of 1D or 2D imagers featuring Datalogic's patented 'Green Spot' technology for good-read feedback
- Wide Band Audio for improved speech recognition (Android[™] only)
- Choice of Microsoft Windows Embedded Compact 7 or Android v4.4 operating systems
- TI 802.11 a/b/g/n radio with CCX v4 and featuring MIMO antenna technology
- Bluetooth wireless technology v4.0 with BLE (low energy) on Android models
- 1.8 m / 6.0 ft drop resistance
- IP64 protection class
- WEC7 units include:
 - Wavelink[®] Avalanche[™] pre-installed and pre-licensed
 - Wavelink TelnetCE pre-installed and prelicensed on Pistol Grip units
 - Pal[™] pre-installed
 - Upgradable to Android 4.4
- Attachable handle (and orderable pre-installed)
- EASEOFCARE Service Plans offer a wide range of service options to protect your investment, ensuring maximum productivity and ROI

INDUSTRY-APPLICATIONS

- Inventory/Picking
- Shelf replenishment
- Price management
- Order entry
- Assisted sales
- Line busting
- Shipping/Receiving

SKORPIO™ X4

ODATALOGIC

Л	WIRELESS COMMUNICATIONS		READING PERFORMANCE	
SPECIFICATION	LOCAL AREA NETWORK (WLAN) PERSONAL AREA NETWORK (WPAN)	TI Wi-Link 8, IEEE 802.11a/b/g/n; Frequency Range: Country dependent, typically 2.4 and 5 GHz; Cisco Compatible CCX v4 Security <i>Bluetooth</i> v4 with BLE (Android models); <i>Bluetooth</i> v2.1 + EDR (WEC7 models)	2D IMAGER (STANDARD RANGE)	Megapixel sensor for extended range; White LED Illumination Optical Resolution: 1D codes: 3 mils; 2D codes: 6.6 mils Depth of Field (typical): 4.5 to 74 cm / 1.7 to 29.1 in (13 mil/EAN), depending on bar code
L	DECODING CAPABILITY		1D IMAGER	density and type 2500 pixel sensor; Sharp green LED scan line
SPEC	1D / LINEAR CODES 2D CODES	including GS1 DataBar™ linear codes.	ID IWAGER	Optical Resolution: 2.5 mils (linear codes) Depth of Field: 4.0 to 74 cm / 1.5 to 29.1 in (13 mil/EAN), depending on bar code density and type
	POSTAL CODES		SAFETY & REGULATORY	
4			AGENCY APPROVALS	The product meets necessary safety and regulatory approvals for its intended use. Complies to EU RoHS VLD - Class 2 IEC/EN60825-1; Compliant with 21 CFR 1040.10 except for deviations pursuant to laser notice No. 50 dated June 24, 2007. Exempt Risk Group IEC/EN62471
ECHINICAL	GST COMPOSITE CODES		ENVIRONMENTAL COMPLIANCE LASER CLASSIFICATION	
	ELECTRICAL		LED CLASSIFICATION	
	BATTERY	Removable battery pack with rechargeable Li-		
	lon batteries; MicroUSB for fast battery c Standard: 3.7 V; 3,000 mAh (11.1 Watt-hoi		SOFTWARE	
		standard on all handheld models Extended: 3.7 V; 5,200 mAh (19.2 Watt-hours); standard on all Pistol Grip models	APPLICATIONS CONFIGURATION & MAINTENANCE	Pal Application Library pre-licensed (WEC7 only) Wavelink Avalanche® pre-licensed (WEC7 only), 42 Gears SureLock pre-licensed for device lockdown (Android only); SOTI MobiControl, Datalogic xPlatform Utility (DXU) pre-licensed,
	ENVIRONMENTAL			Datalogic Desktop Utility (DDU) pre-licensed for
	DROP RESISTANCE	Withstands drops from 1.8 m / 6.0 ft onto concrete	DEVELOPMENT	device lockdown (WEC7 only) WEC7: Datalogic Windows SDK™, Wavelink® Studio™, MCL-Collection™ Android: Datalogic Android SDK, Xamarin SDK SureLock locked web browser pre-licensed for
	PARTICULATE AND WATER SEALING	IP64		
	TEMPERATURE	Operating: -10 to 50 °C / 14 to 122 °F Storage: -20 to 70 °C / -4 to 158 °F	BROWSER	
			TERMINAL EMULATION	WEC7 and Android models Wavelink® Terminal Emulation™ pre-licensed (for
	INTERFACES		TERMINAL EMOLATION	Pistol Grip/WEC7 models only);
	INTERFACES	Main connector with USB 2.0 High Speed Host (480 Mbps) and Client, RS-232 up to 115.2 Kbps; microUSB port for power and communications;	SYSTEM	StayLinked SmartTE (for Android)
		Ethernet: via single dock (external module) or multi-slot dock	AUDIO	Wideband Speech (HD Audio) supported on
			EXPANSION SLOTS	Android Micro Secure Digital slot (SDHC) up to 32 GB
	PHYSICAL CHARACTERISTICS		MICROPROCESSOR	TI OMAP4 @ 1 GHz
	DIMENSIONS	Handheld: 19.3 x 7.6 x 4.2 cm (6.1 x 3.5 cm at keyboard) / 7.6 x 3.0 x 1.3 in (2.4 x 1.4 in at keyboard) Pistol Grip: 19.3 x 7.6 x 15.6 cm / 7.6 x 3.0 x 6.2 in TFT / Transflective LCD with 240 x 320 pixel resolution; LED backlight and integrated touch screen, 3.2 inch diagonal	MEMORY OPERATING SYSTEM	RAM Memory: 1 GB Flash Memory: 8 GB (partially used for firmware and reserved data) Microsoft Weeden Facheddod Compared 7
	DISPLAY		*OS swap from WEC7 to Android 4.4 or	Microsoft Windows Embedded Compact 7 (WEC7) or Android v4.4* or from Android 4.4 to WEC7 is supported on all wap must be performed at a Datalogic Service Center.
	KEYBOARD	50-key full alphanumeric, 38-key functional or	skorpio x4 comigurations. The OS swap must be performed at a Datalogic service center.	
	WEIGHT	28-key numeric keyboard with backlight Handheld (with standard battery): 388 g / 13.7 oz	WARRANTY	
		Handheld (with hi-cap battery): 422 g / 14.9 oz Pistol Grip (with standard battery): 482 g / 17.0 oz Pistol Grip (with hi-cap battery): 516 g / 18.2 oz	WARRANTY	1-Year Factory Warranty
N	Integer Solutions GmbH Industriestraße 4 D-61200 Wölfersheim Tel. +49 (0)6036-90557-0 office@integer-solutions.com		Caution: Laser Radiation - do not stare into beam	
ALCESSORIES	Base Stations/Chargers • 94A150062 Single Slot Dock with Spare Battery Slot • 94ACC0079 Optional Ethernet Adaptor for Single Slot Dock • 94A150055 Four Slot Ethernet Dock • 94A150034 Multi Battery Charger		Cases/Holsters • 94ACC0050 Holster • 94ACC0052 Rubber Boot	Miscellaneous • 95ACC0002 Headset VXI VR12 • 94ACC0127 Bluetooth Headset VXI B350XT EU • 94ACC0124 Bluetooth Headset VXI B350XT US
				KK

© 2017 Datalogic S.p.A. and/or its affiliates. • All rights reserved. Without limiting the rights under copyright, no part of this documentation may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means, or for any purpose, without the express written permission of Datalogic S.p.A. and/or its affiliates. • Datalogic and the Datalogic logo are registered trademarks of Datalogic S.p.A. in many countries, including the U.S. and the E.U. • Skorpio is a trademark of Datalogic S.p.A. and/or its affiliates, registered trademark of Datalogic S.p.A. and/or its affiliates, • SoftSpot is a trademark of Datalogic S.p.A. and/or its affiliates, registered in the E.U. • Android is a trademark of Google Inc. • The Bluetooth Word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Datalogic Coup companies is under license. • All other trademarks and brands are property of their respective owners • Product specifications are subject to change without notice. • DS-SKORPIOX4-ENA4 Revision A 20170918

www.datalogic.com